



Ferrari Malaysia introduces the SF90 Stradale - Ferrari's new series-production hybrid supercar

The most powerful Prancing Horse, which references Scuderia Ferrari

Kuala Lumpur, 18 September 2020 – Naza Italia, official importer and distributor of the Ferrari brand in Malaysia, officially launched the highly anticipated SF90 Stradale today, in conjunction with the unveiling of the newly renovated Ferrari Petaling Jaya showroom. As the Prancing Horse's first series production PHEV (Plug-in Hybrid Electric Vehicle), the SF90 Stradale turns the page to a whole new chapter in Ferrari's history.

"The Ferrari SF90 Stradale is a symbol of innovation, growth and adaptation – a model that rises to meet the changing needs of the industry and Ferrari's discerning clientele. Ferrari has successfully taken on the challenge of combining conventional and electrical power sources with its first ever plug-in hybrid vehicle, once again drawing upon its advanced technology from the track and making it applicable for the road. As the brand explores its potential in the hybrid era, we are thrilled to have the opportunity to bring models such as the SF90 Stradale to the Malaysian market," said Dato' Nik Hamdam Nik Hassan, Group CEO, Automotive Group, Naza Corporation Holdings Sdn Bhd.

The new model delivers unprecedented performance for a production car, with figures such as 1,000 cv, and a weight-to-power ratio of 1.57 kg/cv, and 390 kg of downforce at 250 km/h elevating the SF90 Stradale to the top of its segment. It also means a V8 is the top-of-the-range model for the first time in the marque's history. Ferrari's first hybrid production series model received the 2020 Red Dot: Best of the Best Award and was also the only car to have been bestowed one of 75 Gold Awards at the prestigious iF Design Awards 2020.

Its name, "SF90" – a reference to the 90th anniversary of the foundation of Scuderia Ferrari and "Stradale" – which translates to "road", underscores the distinct link that has always existed between Ferrari's track and road cars. A brilliant encapsulation of the most advanced technologies developed in Maranello, the SF90 Stradale is also the perfect demonstration of how Ferrari immediately transitions the knowledge and skills it acquires in competition to its production cars.

The SF90 Stradale has a 90° V8 turbo engine capable of delivering 780 cv, the highest power output of any 8-cylinder in Ferrari history. The remaining 220 cv is delivered by three electric motors, one at the rear, known as the MGUK (Motor Generator Unit, Kinetic) due to its derivation from the Formula 1 application, located between the engine and the new 8-speed dual-clutch transmission on the rear axle, and two on the front axle. This sophisticated system does not, however, make for a more complicated driving experience. Quite the opposite, in fact: the driver simply has to select one of the four power unit modes, and then just concentrate on driving. The sophisticated control logic takes care of the rest, managing the flow of power between the V8, the electric motors and the batteries.



The SF90 Stradale is also the first Ferrari sports car to be equipped with 4WD, a step necessary to allow the incredible power unleashed by the hybrid powertrain to be fully exploited, ensuring the car has become the new benchmark for standing starts: 0-100km/h in 2.5 sec and 0-200km/h in just 6.7 seconds.

Ferrari's engineers were able to further broaden the spectrum of dynamic controls by introducing the full-electric front axle, known as the RAC-e (electronic cornering set-up regulator). As well as exclusively providing propulsion in electric drive, the two front motors independently control the torque delivered to the two wheels, extending the concept of Torque Vectoring. Fully integrated into the car's vehicle dynamics controls, the RAC-e governs the distribution of torque, making driving on the limit much simpler and easier.

The introduction of this hybrid architecture was a challenge with regard to managing the additional weight which was resolved by an obsessive attention to detail and the overall optimisation of the whole of the car. For maximum performance in terms of overall weight, rigidity and centre of gravity, the chassis and bodyshell of the SF90 Stradale is all new, built using multi-material technology, including, for example, carbon fibre.

The development of a hybrid car of this kind demanded the development of a series of innovative aerodynamic solutions. The significant boost in the power unit's performance brought with it an increase in the amount of heat energy to be dissipated and required the development team to carry out an in-depth review of the aerodynamic flows on the radiating masses. It also demanded new solutions to increase downforce efficiently and guarantee maximum stability at all speeds and in all driving conditions.

Particularly noteworthy is the innovative shut-off Gurney, a patented active system located at the rear of the car which regulates the air flow over the upper body, reducing drag at high speeds with low lateral dynamics loads and increasing downforce in corners, under braking and during changes of direction.

The new car is epoch-changing from a stylistic perspective as it completely rewrites the mid-rear-engined sports berlinetta proportions introduced on the 360 Modena twenty years ago, instead taking its inspiration from Ferrari's recent supercars. A good example is the cockpit, which has a smaller frontal section and is placed closer to the front of the car to reduce drag. This was also achieved without impacting on-board comfort.

The track-derived "eyes on the road, hands on the wheel" philosophy takes on a truly central role for the first time too, significantly influencing the ergonomics and styling of the interior. The result is an HMI (Human-Machine Interface) and interior layout concept that are a complete departure from previous models.

Another major innovation is the steering wheel which now has a touchpad and a series of haptic buttons that allow the driver to control virtually every aspect of the car



using just their thumbs. The central instrument cluster is now entirely digital with the first automotive application of a 16" curved HD screen which can be fully configured and controlled using the controls on the steering wheel.

On the central tunnel, improved ergonomics have been combined with an element from the past: the automatic gearbox controls are now selected by a grille-style feature that references Ferrari's legendary manual gear-shift gate. Thus past and present skilfully merge to point the new Ferrari towards the future.

The SF90 Stradale also sees the debut of the new ignition key with full keyless technology which will gradually be introduced across the rest of the range, personalised with the model's name. Thanks to a special compartment in the central tunnel, it becomes an integral part of the car's styling.

In addition to the sporty version, which references the shape and colour of the signature rectangular Prancing badge sported by Ferrari's road cars, there will also be a more elegant metal-coloured version.

For the first time on a Ferrari, clients can choose between the standard car and a version with a more sports-oriented specification. The Assetto Fiorano specification includes significant upgrades, including special GT racing-derived Multimatic shock absorbers, extra lightweight features made from high-performance materials such as carbon-fibre (door panels, underbody) and titanium (springs, entire exhaust line), resulting in a weight-saving of 30 kg. Another difference is the high downforce carbon-fibre rear spoiler which generates 390 kg of downforce at 250 km/h. The Assetto Fiorano includes Michelin Pilot Sport Cup2 tyres designed specifically to improve performance on the track in the dry. They feature a softer compound and fewer grooves than the tyres provided as standard.

POWERTRAIN

The SF90 Stradale is the first ever Ferrari to feature PHEV (Plug-in Hybrid Electric Vehicle) architecture which sees the internal combustion engine integrated with three electric motors, two of which are independent and located on the front axle, with the third at the rear between the engine and the gearbox.

The internal combustion engine and the electric motors work in synergy to unleash an incredible 1,000 cv which means the SF90 Stradale sets a whole new benchmark in terms of its performance and innovative content not just with regard to the Ferrari range, but also its competitors.

INTERNAL COMBUSTION ENGINE

Thanks to its 780-cv power output, the turbo V8 featured in the SF90 Stradale raises the bar for the performance limits achievable by this type of architecture. The starting point was the F154 family engine which has won the International Engine of the Year award for the fourth consecutive year, an unprecedented achievement for any power unit.

Together with its 195 cv/l specific power output, which is the highest in the segment, the engine also delivers 800 Nm of torque at 6,000 rpm. To deliver this extraordinary



result, Ferrari's engineers focused on several different areas of the engine, starting by increasing its capacity from 3,902 cc to 3,990 cc thanks to a larger bore of 88 mm.

The intake and exhaust system was completely redesigned and now features a new, narrower cylinder head with a central injector and the adoption of 350-bar GDI, another first for a Ferrari V8.

To improve the internal fluid dynamics, not only was a larger diameter intake valve adopted but the ducts are all horizontally lined up at engine head height; the turbo charger assembly has been lowered while the exhaust line is higher, as testified by the fact that the tail pipes are now in the upper section of the rear bumper. The turbos are now equipped with electronically-controlled wastegates to improve catalyser heating and new compressor volutes to optimise fluid-dynamics.

The re-engineering goes well beyond fluid-dynamics: the rationalisation of the layout has resulted in both a lower centre of gravity, thanks in part to the adoption of a smaller-diameter fly wheel, and a reduction in overall weight thanks to the use of Inconel instead of steel for the exhaust manifold. Meticulous attention was lavished on sound quality when redesigning the exhaust system and the result is fuller, richer harmonics across the entire frequency range.

GEARBOX

The SF90 Stradale sports a completely redesigned 8-speed, oil-bath, dual-clutch transmission. New gear ratios and improved transmission efficiency yield a significant reduction in fuel consumption in urban and motorway driving (-8% in the WLTP cycle) without having to compromise on performance. In fact, there is even a 1% improvement in efficiency on the track.

An optimised layout, achieved through the adoption of a dry sump and a significantly more compact clutch assembly with a 20% smaller exterior diameter than the current gearbox, has shaved 15 mm off the installed height in the car which, in turn, lowers the centre of gravity of the running gear by the same amount.

Despite the addition of an eighth gear and a maximum torque boost to 900 Nm (the latter an increase of 20% on the current 7-speed), the gearbox's overall weight is actually 7 kg lower. That figure rises to 10 kg when the elimination of the reverse gear – now incorporated in the function of the front electric motors - is included.

The new clutch's performance is 35% higher, transmitting up to 1200 Nm in dynamic torque in gear shifts. Thanks to new-generation actuation hydraulics, total clutch fill times have been cut to 200 ms compared to the 488 Pista's 300 ms.

ELECTRIC MOTORS



The SF90 Stradale is equipped with three electric motors capable of generating a total of 220 cv (162 kW). A high performance Li-ion battery provides power to all three motors and guarantees a 25-kilometre range in all-electric eDrive mode, using just the front axle. When the internal combustion engine is turned off, the two independent front motors deliver a maximum speed of 135 km/h with longitudinal acceleration of 0.4 g. Reverse can only be used in eDrive mode which means the car can be manoeuvred at low speeds without using the V8. The front motors are integrated into the launch control strategy for maximum performance when accelerating.

FUNCTION MODES

The internal combustion engine and electric motors work in synergy to generate an incredible 1,000 cv, which puts the SF90 Stradale at the very top of the range in performance terms. The control logic optimally manages the power flows either with the emphasis on efficiency or performance depending on the user profile selected by the driver.

Thanks to an additional steering wheel-mounted selector, dubbed the eManettino (analogous to the Manettino which is used to set the electronic vehicle dynamics modes), the driver can choose from four different power unit management modes:

eDrive: the internal combustion engine remains off and traction is entrusted entirely to the electric front axle. Starting with a fully charged battery, the car can cover up to 25 km in this mode. This mode is ideal for city centre driving or any other situation in which the driver wishes to eliminate the sound of the Ferrari V8.

Hybrid: this is the default setting when the car is turned on, in which the power flows are managed to optimise the overall efficiency of the system. The control logic autonomously decides whether to keep the internal combustion engine running or turn it off. If it is on, the internal combustion engine can run at maximum power thus guaranteeing powerful performance whenever the driver requires.

Performance: unlike 'Hybrid', this mode keeps the ICE running because the priority is more on charging the battery than on efficiency. This guarantees that power is instantly and fully available when required. This mode is best suited to situations in which driving pleasure and fun behind the wheel are the main focus.

Qualify: this mode allows the system to achieve maximum power output by allowing the electric motors to work at their maximum potential (162kW). The control logic prioritises performance over battery charging.

VEHICLE DYNAMICS

The exceptional work done to boost the power unit's power would have all been in vain without in-depth dynamics research and the development of a whole series of solutions to boost the SF90 Stradale's lap times, whilst simultaneously guaranteeing that drivers of all kinds could make full use of the car's potential and have fun behind the wheel.



The new hybrid architecture required extensive and lengthy integration work on the car's many different control logics. The three areas concerned are: the high-voltage system controls (battery, RAC-e, MGUK, inverter), engine and gearbox control and vehicle dynamics controls (traction, braking, Torque Vectoring).

Integrating these areas with the existing vehicle control logics led to the development of the new eSSC (electronic Side Slip Control) vehicle control system. The eSSC introduces three innovative dynamic regulation and distribution strategies for engine torque to all four wheels:

- Electric Traction Control (eTC): optimally manages the availability of the torque – both ICE and electric - distributing it to the individual wheels to suit driving conditions and grip requirements
- brake-by-wire control with ABS/EBD: allows the braking torque to be split between the hydraulic system and the electric motors (brake torque blending), allowing regenerative recovery under braking which actually boosts performance and brake feel rather than compromising them
- Torque Vectoring: available on the front axle to manage electric traction on outside and inside wheel in cornering to maximise traction exiting the corner and help ensure easy, confident, high-performance driving.

LONGITUDINAL DYNAMICS

Thanks to the introduction of the RAC-e electric axle and traction control, eTC (Electronic Traction Control), on all four wheels, it is now possible to exploit the additional grip offered by the front wheels when accelerating. Improved overall grip combined with the improved power delivery from the electric motors at low speeds, has significantly improved the SF90 Stradale's longitudinal acceleration, making it the new benchmark for standing starts.

Even at high speeds and in higher gears, the combined contribution of the electric motors in maximum traction conditions helps reduce ICE response times, significantly improving longitudinal acceleration and thus performance.

The new brake-by-wire system manages kinetic energy recovery through the electric motors by implementing electronically-controlled blending of hydraulic and electric braking, entirely unnoticed by the driver. Under normal braking conditions, energy recovery using the electric motors is the priority. The hydraulic system intervenes to support the electric one under hard braking.

LATERAL DYNAMICS

The eSSC control logic also supervises how torque is distributed between the front wheels using the RAC-e motors and the electronic control derived from the Torque Vectoring concept, varying between the inside and the outside wheel in cornering based on dynamic conditions with the aim of maximising performance and delivering easier handling.

CHASSIS



Although the extra 270 kg required to incorporate the hybrid system into the car have been amply offset by the extra power delivery (220 cv, with a weight/power ratio for the system alone of 1.23 kg/cv), in-depth research was still required to ensure that overall weight was kept to 1,570 kg, thus guaranteeing a record-breaking weight/power ratio of 1.57 kg/cv.

The chassis has been completely redesigned with a multi-material and multi-technology approach to absorb the extra stresses associated with the new power unit and the introduction of AWD. A number of technological innovations have been introduced, not least hollow castings, which replace the traditional ribbed castings. Other new solutions include an all-carbon-fibre bulkhead between the cabin and the engine and two new aluminium alloys, one of which is a high-strength 7000 series alloy for some of the sheet metal. As a result, the SF90 Stradale chassis boasts 20% higher bending stiffness and 40% higher torsional rigidity than previous platforms without any increase in weight. This has significant advantages for the car's dynamics. NVH (noise, vibration, harshness) characteristics have also been improved by the use of a new alloy known as 'quiet aluminium' for the floor pan.

AERODYNAMICS

The greatest challenge in crafting the aerodynamics of the SF90 Stradale was posed by the need to deliver downforce and aerodynamic efficiency at a level never before achieved either by Ferrari or its competitors, whilst simultaneously guaranteeing that all the subsystems of the new power unit (internal combustion engine, electric motors, battery and inverters) would always function as optimally as possible.

As always, the aerodynamics department worked closely with Ferrari Design and this produced downforce and efficiency figures unmatched by any other car in the segment. Once again, they were achieved in typical Ferrari fashion: rather than using simple add-on elements, the car's forms were meticulously sculpted.

The results in terms of performance are impressive indeed: thanks to its ability to generate 390kg of downforce at 250 km/h, the SF90 Stradale is now the new benchmark for downforce and efficiency in high-performance road cars.

THERMAL AERODYNAMICS

Smart cooling flow management is the first step in defining a successful car layout and, in this particular case, guaranteeing that 1,000 cv can be efficiently and uncompromisingly unleashed in all kinds of driving conditions without in any way compromising aerodynamic drag and downforce coefficients.

The internal combustion engine, gearbox, turbo-charged air, battery pack and electric motors, the inverters and charging systems and brakes all need cooling. Meticulous attention was paid to the design of the engine bay which houses both the usual internal combustion engine systems that generate temperatures of nearly 900°C, and highly temperature-sensitive electronic components.

The coolant for the internal combustion engine and the gearbox (high temperature circuit) is cooled by two radiators located ahead of the front wheels. The hot air flow coming off those radiators is channelled into the side areas of the underbody rather



than along the car's flanks. This means that the air flow along the flanks is cooler when it enters the air intakes ahead of the rear wheels, thereby boosting the efficiency of the intercooler radiators.

The electric motors and the inverters are cooled by a separate circuit with its own radiator at the front of the car with a central intake on the front bumper.

Lastly, the cooling circuit for the brakes was completely redesigned to meet the demands of the car's additional performance. In close collaboration with Brembo, Ferrari developed a new brake calliper for the front which is being used for the very first time on a road car. The calliper has an integrated aerodynamic appendage which distributes the highly charged air flow from the special air intake directly under the headlights on the front bumpers, more efficiently to the brake pads and disc. The rear brakes are cooled by the flow from two air intakes on the underbody near the rear wheels.

REAR AERODYNAMICS

In terms of design, the SF90 Stradale's engine cover has been kept extremely low to improve the interaction between the flows over and under the body, and thus minimise drag.

The end section of the engine cover features a suspended wing divided in two sections: one fixed, which incorporates the third brake light, and one mobile with a wedge-shaped front area. The latter has been dubbed the shut-off Gurney and is under patent. It is also the most innovative downforce management device on the car. In urban usage or at maximum speed, the two sections are aligned and suspended above the engine cover, with the mobile wedge acting as an efficient fairing to the fixed element, allowing the air to flow both above and beneath the shut-off Gurney.

In high downforce conditions (such as driving through corners, braking or in abrupt changes of direction), the mobile element is lowered by a pair of electric actuators, closing the lower blown area and uncovering the fixed element, generating a new tail geometry characterised by a broad load surface topped by a powerful nolder.

The system is controlled by a sophisticated control logic that checks parameters such as speed, acceleration (lateral and longitudinal) and driver inputs, hundreds of times a second in order to establish the most efficient configuration to adopt.

FRONT AERODYNAMICS

Rear downforce is balanced at the front of the car by a complex and optimised system of vortex generators. Although this is not its very first appearance on a Ferrari sports car, the system has been honed to the maximum on the SF90 Stradale: the front section of the chassis has been raised 15 mm compared to the central section



of the chassis at the point where the vortex generators are located, thus increasing the amount of air channelled towards them and boosting their effect.

The front bumper is divided into two sections that have specific wing functions. Between the upper section and the bonnet is a pronounced indent that locally compresses the flow. This feature, together with the two diffusers ahead of the front wheels, contributes to generating downforce over the front axle.

FORGED WHEELS WITH BLOWN GEOMETRY

Specific aerodynamic research went into the geometry of the forged wheels which are made using a construction technology that allows greater freedom when it comes to aerodynamic solutions. The specific geometry of the wheels incorporate radial elements on the outer channel which are equally spaced between the spokes and designed to act as wing profiles. The geometry of these profiles mean that the wheel works like a rotor blade, very efficiently managing the flows from inside the wheelarch and guaranteeing two main effects:

- Air evacuation from wheel arch is boosted, creating suction that also benefits the flow that passes through the front diffusers, generating extra downforce over the front;
- The flow exiting the wheel rim is lined up with the longitudinal flow running along the sides, thereby reducing deviations caused by the air mass exiting at an angle to the direction of movement, thus reducing the car's Cd.

DESIGN

The SF90 Stradale is the most advanced car in the range from a point of view of performance and technology. The definition of the exterior styling was inspired by that principle: to create a forward-looking, innovative design that transmits the car's mission as an extreme sports car – Ferrari's first series production supercar.

Ferrari Design has thus completely revisited the proportions of the front, central and rear volumes in a radical evolution of the forms of Ferrari's mid-rear-engined production berlinettas of the last twenty years.

The aim was to design a leading-edge extreme car capable of delivering completely unprecedented performance for a Prancing Horse production car. The SF90 Stradale slots in between the mid-rear-engined coupés, today represented by the F8 Tributo, and supercars of the likes of LaFerrari, and is the new standard-bearer for hyper-technological extreme cars brimming with future-forward content.

EXTERIOR

The SF90 Stradale's architecture, in which the cabin is located ahead of the mid-mounted engine, provided Flavio Manzoni and his team of designers at the Ferrari Styling Centre, with the ideal platform on which to craft a genuine supercar of impeccable proportions.

More compact overhangs (the rear one is shorter than the front one in particular) and the frontward-shift of the cabin have created a cab-forward-type architecture which emphasises the fact that the engine is mid-mounted. A very low centre of gravity has



also allowed the designers to lower the cabin area by 20 mm. Combined with a more curved windshield, slender A-posts and a wide track, this creates a beautifully proportioned car with sleeker volumes.

The compact bubble-shaped cabin has an aeronautical cockpit feel and the fact that it has been shifted so far forward is further emphasised by the geometry of the two body-coloured rear flying buttresses that enclose the rear.

Another signature solution is the headlights which hail a move away from the L-shaped look, to a slender slit design integrated with the brake air intakes resulting in a characteristic C-shape which lends the front of the car an original and futuristic appeal.

In an absolute first for a Ferrari, the SF90 Stradale uses matrix LED headlight technology to improve visibility in all driving conditions thanks to active beam control.

The rear of the car is dominated by high exhaust pipes which are the result of optimisation of the exhaust line layout. Because the power-train is significantly lower in the car than in the past, the designers were also able to lower the car's tail. Another deviation from the styling typical of past berlinettas is the way the profile of the rear screen no longer follows the line from the roof to the rear bumper. This element of styling discontinuity is evidenced by the separation of the screen from the cooling grille.

The tail lights have also evolved quite radically from Ferrari's iconic round shape. The eye-catching, more horizontal luminous rings create a more horizontal perception of the tail lights which in turn visually lowers the height of the tail.

INTERIOR

While the SF90 Stradale's exterior was crafted to underscore its seamless combining of form, technology and performance, the interior is even more radical. The very explicit aim there was to create a cockpit that ushered in an entirely new design direction, the effects of which would carry over into Ferrari's entire future range.

The designers took a futuristic approach to the interface concept with a strong focus on creating a wraparound aeronautically-inspired cockpit with particular emphasis on instruments. This further emphasised and underscored the symbiotic relationship between car and driver. In fact, the SF90 Stradale makes an epoch-changing leap forward both in formal and content terms, updating the Human Machine Interface with all-digital technology.

In a first for a Ferrari, the central instrument cluster comprises a single 16" digital HD screen which curves towards the driver to make it easier to read and to emphasise the F1-style wrap-around cockpit effect. This is the first time this type of screen has been adopted in a production car.

When the engine and motors are off, the onboard instruments go black lending the cockpit a wonderfully sleek, minimalist look. In line with Ferrari tradition, the default screen is dominated by a large circular rev counter which, however, this time is



framed by the battery charge indicator. The navigation screen is on one side of the rev counter with the audio control one on the other.

The “hands-on-the-wheel” philosophy has consistently driven the development of the human-machine interface in every Ferrari F1 car and its subsequent gradual transfer to its road-going sports cars. The SF90 Stradale’s steering wheel completes that transfer process from the competition world and also ushers in a new era by introducing a series of touch commands that allow the driver to control virtually every aspect of the car without ever taking their hands off the wheel.

The traditional controls include the now-classic steering-wheel mounted headlight control, windscreen wipers, indicators and the Manettino for driving modes.

Of the new touch controls, the compact but functional pad on the right-hand spoke allows the driver to navigate the central cluster screens, while voice and cruise controls are on the left-hand spoke. Also noteworthy is the adoption of a rotary switch for cruise control, a solution derived directly from the Formula 1 car. In the bottom left section of the central area, there are four buttons the driver uses to select the power unit use mode.

The Head Up Display is another part of the innovative HMI and allows various data to be projected onto the windshield within the driver’s field of vision so that their attention is not distracted from driving.

From a creative perspective, the SF90 Stradale interface project gave the Ferrari Style Centre’s designers the opportunity to interpret the screens in the cabin as a canvas on which all the car’s functions and controls could be represented. The screen graphics on the SF90 Stradale were also designed to create a 3D effect which is particularly striking during transitions, such as when the instrument panel is turned on or when swapping from one screen to the next.

Alongside the new-concept HMI, another major theme tackled in the cabin was the tunnel area interface. The F1 controls on the “bridge” are probably the most iconic of the Ferraris of recent generations. These have been completely redesigned and set into a modern metal plate which references an equally iconic feature from the past: the classic gear lever gate.

7 YEARS MAINTENANCE

Ferrari’s unparalleled quality standards and increasing focus on client service underpin the extended seven-year maintenance programme offered with the SF90 Stradale. Available across the entire Ferrari range, the programme covers all regular maintenance for the first seven years of the car’s life. This scheduled maintenance is an exclusive service that allows clients the certainty that their car is being kept at peak performance and safety over the years. This very special service is also available to owners buying pre-owned Ferraris.



Regular maintenance (at intervals of either 20,000 km or once a year with no mileage restrictions), original spares and meticulous checks by staff trained directly at the Ferrari Training Centre in Maranello using the most modern diagnostic tools are just some of the advantages of the Genuine Maintenance Programme.

The service is available on all markets worldwide and from all Dealerships in the Official Dealership Network.

The Genuine Maintenance programme further extends the range of after-sales services offered by Ferrari to satisfy clients wishing to preserve the performance and excellence that are the signatures of all cars built at the factory in Maranello which has always been synonymous with leading-edge technology and sportiness.

The Ferrari SF90 Stradale is available from the base price of **RM xxxx** (before duties, customization options, taxes and insurance). For further details, contact the Ferrari Malaysia Showroom.

Images, videos and information can be viewed on the dedicated web site: SF90stradale.com. More exciting information about Ferrari Malaysia may be obtained from the official Facebook page: <http://www.facebook.com/ferrari-malaysia-nazaitalia> . Follow @ferrari.malaysia on Instagram for the latest updates and offerings of Ferrari and Naza Italia.

FERRARI SF90 STRADALE TECHNICAL SPECIFICATIONS

Internal combustion engine

Type	V8 - 90° - turbo – dry sump
Total displacement	3990 cc
Maximum power output*	574 kW (780 cv) @ 7500 rpm
Max torque	800 Nm @ 6000 rpm
Specific power output	195 cv/l
Max. engine speed	8000 rpm
Compression ratio	9.5:1

Hybrid system

Maximum power electric motors	162 kW (220 cv)
Battery capacity	7.9 kWh
Max. range under electric power	25 km

Dimensions and weight

Length	4710 mm
Width	1972 mm
Height	1186 mm
Wheelbase	2650 mm
Front track	1679 mm
Rear track	1652 mm
Dry weight**	1570 kg
Weight distribution	45% front - 55% rear
Boot capacity	74 l



Rear shelf capacity 20 l
Fuel tank capacity 68 l (2 reserve)

Tyres

Front 255/35 ZR 20 J9.5
Rear 315/30 ZR 20 J11.5

Brakes

Front 398 x 223 x 38 mm
Rear 360 x 233 x 32 mm

Transmission and gearbox

8-speed, F1 dual-clutch transmission

Electronic controls

eSSC: E4WD (eTC, eDiff3), SCME-Frs, FDE2.0, EPS, high performance ABS/EBD with energy recovery

Performance

Maximum speed 340 km/h
0-100 km/h 2.5 s
0-200 km/h 6.7 s
100-0 km/h <29.5 m
Dry weight/power 1.57 kg/cv
Laptime at Fiorano 79s

Fuel consumption and emissions

Under homologation

- * With 98 octane petrol
- ** With optional extras

For further information:

Naza Italia Sdn Bhd
Jeffrey Tanggau
tel. +603 7956 8599
fax +603 7956 7499
mobile +6016 5522 647
www.kualalumpur.ferraridealers.com
jeffrey.tanggau@nazaitalia.com.my

MediaBond PR Sdn Bhd
Wenny Tay



tel. +603 7954 1588
fax +603 7954 1589
mobile +6012 653 9922
wenny@mediabond.com.my